

T3N

RG E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

S. Boundary L. 3 N. R. 6 E. Random.

West	East	Between Towns 2 & 3 in Range 6 on Random
10.00	110.00	Set temporary half mile post
49.00	49.00	Brook 10 Links wide course North
80.00	50.00	Set temporary mile post
East	Line continued	
West	17.00	Brook 10 Links wide course North, West
52.36	52.36	Brook 10 Links wide course North, West
80.00	80.00	Set temporary mile post. Land very thin & broken. Timber Oak & Hickory under brush Logwood
East	Line continued	
West	12.50	Brook 10 Links wide course North, West
40.00	40.00	Set a temporary half mile post
71.50	71.50	Brook 15 Links wide course North, West
80.00	80.00	Set a temporary mile post. Land good for farming. Timber Beech, Oak & Hickory
East	Line continued	
40.00	40.00	Set a temporary half mile post
60.30	60.30	Road leading N & S
80.00	80.00	Set a temporary mile post. Land the same quality
East	Line continued	
24.50	24.50	Brook 20 Links wide course West
31.50	31.50	Same course North, West
40.00	40.00	Set a temporary half mile post
41.50	41.50	Brook course S. E
45.00	45.00	Same course N
80.00	80.00	Set temporary mile post

East Line continued

21.00 Brook 10 Links wide course N. W

40.00 Set a temporary half mile post

64.50 Brook 10 Links wide course N.

69.50 Intersected the North & South line of chains North of Town corner. Land the same Aug 24 1886

On true line S. Boundary L. 3 N. R. 6 E.
West Between Towns 2 & 3 North in Range 6 East of 2nd Meridian

40.00 Move the temporary half mile post & set it at the exact distance of a half mile on true line for 1/4 Sec. corner from which a Beech 20 inches dia. bears N 89 E 35 1/2 Links. a Beech 4 inches dia. bears S 89 W 15 Links

80.00 Set the temporary mile post on the true, at the exact distance for the corner of Sec. 33 & 36 T. 3 N. R. 6 E. from which a Beech 24 inches dia. bears N 52 W 12 1/2 Links & Logwood 5 inches dia. bears S 52 E 8 Links

West True line continued

40.00 Set the temporary half mile post on true line for 1/4 Sec. corner from which a Beech 40 inches dia. bears N 75 W 21 1/2 Links
a Sugar 12 inches dia. bears S 75 E 10 Links

80.00 Set the temporary mile post at the exact distance of a mile for the corner of Sec. 34 & 35 T. 3 N. R. 6 E. from which a N. Oak 10 inches dia. bears S 86 E 9 1/2 Links & Beech 10 inches dia. bears N 46 W 3 Links

West True line continued

40.00 Set the temporary half mile post on true line at the distance for 1/4 Sec. corner from which a Blenheim 10 inches dia. bears N 49 W 7 1/2 Links & Logwood 5 inches dia. bears S 49 E 36 1/2 Links

80.00 Set the temporary post at the distance of a mile on true line for the corner of Sec. 33 & 34 T. 3 N. R. 6 E. from which a Beech 10 inches dia. bears N 75 E 36 Links & Sugar 6 inches dia. bears S 75 W 21 Links

West True line continued

40.00 Set the temporary half mile post at the distance of a half mile on true line for 1/4 Sec. corner from which a Oak 24 inches dia. bears N 7 W 25 Links & N. Oak 12 inches dia. bears N 5 E 27 1/2 Links

West	80.00	Set the temporary mile post at the Distance of a mile on true line for the corner of Sec. 33 & 34 T. 3 N. R. 6 E. from which a Beech 10 Inches dia. bears West 10 Links to Logwood 5 Inches dia. bears N 7 E 15 Links
West	80.00	True Line continued -
	40.00	Set the temporary post at the Distance of a half mile on true line for 1/4 Sec. corner from which a B. Oak 5 Inches dia. bears S 60 E 6 Links to Chestnut 10 Inches dia. bears S 8 W 19 Links -
West	80.00	Set the temporary post at the Distance of a mile for the corner of Sec. 31 & 32 T. 3 N. R. 6 E on true line from which a Logwood 5 Inches dia. bears N 13 E 26 Links to Poplar 20 Inches dia. bears N 83 W 22 Links -
West	73.00	True line continued -
	40.00	To a W. Oak 20 Inches diam. standing in the place of the 1/4 Sec. post of Sec. 31 T. 3 N. R. 6 E East -
West	69.50	Lower corner -
North	4.00	Between Towns 3 & 4 in Range 5 East of 2nd Meridian -
	20.40	W. Oak 20 Inches diam. bears S 77 E 4 Links - W. Oak 10 Inches dia. bears S 17 W 6 Links -
	46.70	W. Oak 20 Inches diam. -
	50.00	Brook 15 Links wide course North. West -
	64.50	Same. Same.
	80.00	Set post corner of Sec. 36 & 35 T. 3 N. R. 5 E from which a Hickory 8 Inches dia. bears N 32 W 6 Links to a W. Oak 5 Inches dia. bears S 22 E 13 1/2 Links - then W. Oak timbered land -
North	Line continued -	
	3.25	W. Oak 20 Inches diam.
	38.75	W. Oak 25 Inches diam.
	40.00	Set a half mile post from which a Beech 8 Inches dia. bears N 12 W 27 1/2 Links. W. Oak 10 Inches dia. bears S 43 E 26 Links
	80.00	Set post corner of Sec. 25 & 26 T. 3 N. R. 5 E from which a W. Oak 10 Inches dia. bears N 17 W 27 1/2 Links - W. Oak 20 Inches dia. bears S 5 W 23 Links. Thin Oak & Hickory. Timbered land. Underbrush Dogwood & Spice -

North Line continued -

27.00	Brook 20 Links wide course East -
40.00	Set a half mile post from which a W. Oak 20 Inches dia. bears N 20 W 34 Links, Beech 20 Inches dia. bears S 40 E 22 Links
70.00	Brook 12 Links wide course N. W.
77.50	Same. course N.
80.00	Set post corner of Section 34 & 33 T. 3 N. R. 5 E. from which a Hickory 10 Inches dia. bears S 7 W 18 Links to a W. Oak 20 Inches dia. bears N 47 W 34 Links - This mile over good farming land -

North Line continued -

5.50	Same course N. W.
19.00	W. Oak 20 Inches diam.
24.00	Same course E.
40.00	Set a half mile post from which a W. Oak 12 Inches dia. bears N 14 E 13 Links, Logwood 6 Inches dia. bears S 49 W 15 Links
62.00	Spring run 4 Links wide course E.
80.00	Set post corner of Sec. 12 & 13 T. 3 N. R. 5 E. from which a Beech 20 Inches dia. bears S 79 E 11 Links to a Beech 10 Inches dia. bears N 19 W 23 Links - Land the same -

North Line continued -

16.50	Brook 10 Links wide course E.
40.00	Set a half mile post from which a Beech 20 Inches dia. bears N 60 E 13 Links - a gum 24 Inches dia. bears N 83 W 23 Links
42.45	Beech 20 Inches diam.
80.00	Set post corner of Sec. 12 & 11 T. 3 N. R. 5 E. from which a Beech 12 Inches dia. bears S 35 E 14 Links, to a Hickory 10 Inches dia. bears N 43 W 8 Links - Land the same -

North Line continued -

12.90	W. Oak 40 Inches dia.
40.00	Set a half mile post from which a Hickory 10 Inches dia. bears S 9 E 32 Links to a Maple 12 Inches dia. bears S 76 E 22 Links -

North 4th Mile

3.50 Brook 10 lks wide course N.E. } Rich bottom land

33.00 Brook 30 lks wide course E. } Timber Beech, Elm Poplar &c

40.00 Set Quarter Sec. Post from which a Beech 12 Inchs. diam. bears S 70 E 43 lks to Beech 12 Inchs. diam. bears N 45 W 43 lks

54.50 B. Oak 16 Inchs. diam. } Generally good meadow land

64.00 Brook 3 lks wide course E. } Timber Beech, Elm &c

80.00 Set Post corner to Sects 12 & 13 Town 2 N. R. 6 E. from which an Ash 6 Inchs. diam. bears S 82 W 22 lks
to B. Oak 8 Inchs. diam. bears S 17 W 33 lks.North 5th Mile

34.00 W. Oak 8 Inchs. diam.

44.00 Set Quarter Sec. Post from which a W. Oak 10 Inchs. diam. bears N 58 E 12 lks to B. Oak 10 Inchs. diam. bears S 24 E 13 lks

58.00 Brook 6 lks wide course N.E. } this mile passes through fallen timber, the whole way very thick with aspen bushes & grape vines

80.00 Set a Post corner to Sects 1 & 12 Town 2 N. Range 6 East from which a B. Oak 6 Inchs. diam. bears S 50 W 43 lks
to W. Oak 18 Inchs. diam. bears N 24 E 51 lksNorth 6th Mile Township 2 N. R. 6 E East

25.00 Poplar 10 Inchs. diam. } brushy fallen timber

40.00 Set Quarter Sec. Post from which a Beech 16 Inchs. diam. bears S 49 W 17. ditto 12 Inchs. diam. bears N 13 W 22 lks

55.00 Left Brook N.W.

62.00 Same Same

63.00 Poplar 30 Inchs. diam.

64.00 Brook 4 lks wide course N.E. kept down it } Generally good Oak land,

75.00 Left Brook N.W.

80.00 Set a post for the corner of Townships 2 & 3 in Range 6 E

from which a Gum 16 Inchs. diam. bears N 70 W 22 lks to W. Oak 18 Inchs. diam. bears N 54 E 44 lks
to Boundary. S. N. R. 6 E.

North Between Townships 3 & 4 N. R. 6 E

4.00 Brook 4 lks wide course N.E. kept down it crossing

11.00 Left Brook running N.E.

23.50 B. Oak 18 Inchs. diam.

40.00 Set Quarter Sec. Post from which a W. Oak 36 Inchs. diam. bears S 40 W 3 lks. Gum 7 Inchs. diam. bears N 61 E 26 lks

57.50 Poplar 10 Inchs. diam. } Pretty good

64.00 Brook 15 lks wide course N.E. } Oak land,

80.00 Set Post corner to Sects 25 & 36 T 3 N. R. 6 E. from which a Beech 24 Inchs. diam. bears S 52 E 16 lks

to Hickory 8 Inchs. diam. bears N 53 W 25 lks

North 2nd Mile Town 3 N. R. 6 E East

5.50 W. Oak 36 Inchs. diam. } Poor level Oak land

40.00 Set Quarter Sec. post from a Poplar 6 Inchs. diam. bears S 70 E 13 lks to Beech 15 Inchs. diam. bears N 10 E 16 lks

50.00 Brook 6 lks wide course N.E. } Level poor land

63.80 Beech 16 Inchs. diam. } Timber Oak, Beech &c

80.00 Set Post corner to Sects 24 & 25. T 3 N. R. 6 E from which a Gum 6 Inchs. diam. S 9 W 17 lks

to Beech 24 Inchs. diam. bears N 71 E 34 lks

North 3rd Mile Town 3 N. R. 6 E

17.85 B. Oak 24 Inchs. diam. } Generally good level land

35.00 Beech 16 Inchs. diam. } Timber Oak, Beech &c

40.00 Set Quarter Sec. Post from which a Beech 20 Inchs. diam. bears S 80 W 5 lks. Poplar 18 Inchs. diam. bears N 75 E 29 lks

57.00 Brook 5 lks wide course N.E. } good level land

61.00 Beech 16 Inchs. diam. } Timber Oak, Poplar &c

80.00 Set a Post for the corner of Sects 13 & 24. Town 3 N. R. 6 E from which a Hickory 14 Inchs. diam. bears N 6

W 50 lks to Beech 15 Inchs. diam. bears S 30 E 58 lks

Aug 21st 1876.North 4th Mile Town 3 N. R. 6 E

17.50 Brook 3 lks wide course N.E. } Pretty good

33.80 Beech 14 Inchs. diam. } Oak land

40.00 Set Quarter Sec. Post from which a Poplar 14 Inchs. diam. bears N 59 W 6 lks to Poplar 16 Inchs. diam. bears South 16 lks

53.00 Brook 30 lks wide course N.W. } Wet land

54.25 Ash 30 Inchs. diam. } Timber Beech, Elm &c

80.00 Set Post corner of Sects 12 & 13 Town 3 N. R. 6 E. from which a Ironwood 6 Inchs. diam. bears N 61 W 6 lks

to Beech 18 Inchs. diam. bears N 71 E 33 lks

North 4th Mile
 3.50 Brook 10 lks wide course N.E. } Rich bottom land
 33.00 Brook 30 lks wide course E. } Timber Beech, Elm, Poplar &c.
 40.00 Set Quarter Sec. Post from which a Beech 12 Inchs diam. bears S 70 E 43 lks to Beech 12 Inchs diam. bears N 45 W 23 lks
 54.50 B. Oak 16 Inchs diam. } Generally good meadow land
 64.00 Brook 3 lks wide course E. } Timber Beech, Elm &c.
 80.00 Set Post corner to Sects 12 & 13 Town 2 N. R. 6 E. from which an Ash 6 Inchs diam. bears S 82 W 22 lks
 to a B. Oak 8 Inchs diam. bears S 17 W 33 lks.

North 5th Mile

34.00 W. Oak 8 Inchs diam.
 40.00 Set Quarter Sec. Post from which a W. Oak 12 Inchs diam. bears N 38 E 12 lks to B. Oak 10 Inchs diam. bears S 24 E 13 lks
 58.00 Brook 6 lks wide course N.E. } this mile passes through forest timber. the whole way very thick with aspen bushes & grape vines
 80.00 Set a Post corner to Sects 10 & 12 Town 2 N. Range 6 East from which a B. Oak 6 Inchs diam. bears S 50 W 23 lks
 to a W. Oak 18 Inchs diam. bears N 24 E 51 lks.

North 6th Mile Township 2 N. R. 6 W. East

25.00 Poplar 10 Inchs diam. } brushy fallen timber
 40.00 Set Quarter Sec. Post from which a Beech 16 Inchs diam. bears S 49 W 17. ditto 12 Inchs diam. bears N 13 W 22 lks
 55.00 Left Brook N.W.
 62.00 Same Same
 63.00 Poplar 30 Inchs diam. } Generally good
 64.00 Brook 4 lks wide course N.E. kept down it } Oak land.
 75.00 Left Brook N.W.
 80.00 Set a post for the corner of Townships 2 & 3 in Ranges 6 & 7
 from which a Gum 16 Inchs diam. bears N 70 W 22 lks to W. Oak 18 Inchs diam. bears N 54 E 24 lks
 to Boundary. S. 3 N. R. 6 E.

North Between Townships 3 & 4 N. R. 6 W. E.

4.00 Brook 4 lks wide course N.E. kept down it crossing
 11.00 Left Brook running N.E.
 23.50 B. Oak 18 Inchs diam.

40.00 Set Quarter Sec. Post from which a W. Oak 36 Inchs diam. bears S 40 W 3 lks. Gum 7 Inchs diam. bears N 61 E 26 lks
 57.50 Poplar 10 Inchs diam. } Pretty good
 64.00 Brook 15 lks wide course N.E. } Oak land.
 80.00 Set Post corner to Sects 25 & 36 T 3 N. R. 6 E. from which a Beech 14 Inchs diam. bears S 32 E 16 lks
 to Hickory 8 Inchs diam. bears N 53 W 25 lks. X

North 7th Mile Town 3 N. R. 6 W. East

5.50 W. Oak 36 Inchs diam. } Poplar level Oak land
 40.00 Set Quarter Sec. post from a Poplar 6 Inchs diam. bears S 70 E 13 lks to Beech 15 Inchs diam. bears N 10 E 16 lks
 50.00 Brook 6 lks wide course N.E. } Level poor land
 63.80 Beech 16 Inchs diam. } Timber Oak, Beech &c.
 80.00 Set Post corner to Sects 24 & 25 T 3 N. R. 6 E from which a Gum 6 Inchs diam. S 9 W 17 lks
 to a Beech 24 Inchs diam. bears N 71 E 34 lks.

North 8th Mile Town 3 N. R. 6 W. E.

17.55 B. Oak 24 Inchs diam. } Generally good level land
 35.00 Beech 16 Inchs diam. } Timber Oak, Beech &c.
 40.00 Set Quarter Sec. Post from which a Beech 20 Inchs diam. bears S 80 W 5 lks a Poplar 18 Inchs diam. bears N 75 E 29 lks
 57.00 Brook 5 lks wide course N.E. } good level land
 61.00 Beech 16 Inchs diam. } Timber Oak, Poplar &c.
 80.00 Set a Post for the corner of Sects 13 & 24 Town 3 N. R. 6 E from which a Hickory 14 Inchs diam. bears N 6
 W 50 lks to a Beech 15 Inchs diam. bears S 30 E 58 lks. Anyt 21st 1884.

North 9th Mile Town 3 N. R. 6 W. E.

17.50 Brook 3 lks wide course N.E. } Pretty good
 33.80 Beech 14 Inchs diam. } Oak land
 40.00 Set Quarter Sec. Post from which a Poplar 14 Inchs diam. bears N 59 W 6 lks to Poplar 16 Inchs diam. bears South 16 lks
 53.00 Brook 30 lks wide course N.W. } Wet land
 51.25 Ash 30 Inchs diam. } Timber Beech, Elm &c.
 80.00 Set Post corner of Sects 12 & 13 Town 3 N. R. 6 E. from which a Ironwood 6 Inchs diam. bears N 61 W 6 lks
 to a Beech 18 Inchs diam. bears N 71 E 33 lks.

North 5th Mile Town 3 N. R. 687 E

34.00 Elm 18 Inches diam. } Maple Swamp the whole way—

40.00 Set Post from which a Maple 12 Inches diam. bears N 70 W 12 lks. to Maple 6 Inches diam. bears S 81 E 30 lks—

55.40 Maple 12 Inches diam. } Maple Swamp.

80.00 Set Post corner to Sect: 1812 Town 3 N. R. 6 E from which a White Oak 36 Inches diam. bears S 10 E 4 lks—
to Gum 12 Inches diam. bears N 10 W 4 lks—North 6th Mile Town 3 N. R. 687 E—

16.00 To a large branch of White River — the wide running N. W. } Maple Swamp—

40.00 Set Quarter Sec. Post from which an Elm 12 Inches diam. bears N 76 W 12 lks. W. Oak 12 Inches diam. bears N 84 E 20 lks

50.00 quit the Swamp

59.00 Brook 3 lks wide course W. } A beautiful flat of Beech

60.00 W. Oak 16 Inches diam. } Sugar tree land

80.00 Set a Post for the corner of Town: 304 in Range N° 6 87 from which a Beech 8 Inches diam bears N 42 W 11 lks—
to Beech 12 Inches diam. bears S 3 W 59 lks—

North Between Townships 414 in Range 687 of T. 4 N. R. 6 E.

10.00 Brook 15 lks wide course W. } Good lock land

13.00 Gum 30 Inches diam. } Timber Sugar Y.

40.00 Set Quarter Sec. Post from which a Beech 20 Inches diam. bears N 57 W 25 lks. W. Oak 6 Inches diam. bears S 40 E 12 lks

62.00 Brook 3 lks wide course S. E. } low flat land; rich

76.00 W. Oak 40 Inches diam. } Timber Beech, Elm Y.

80.00 Set post corner to Sect: 25136 T. 4 N. R. 6 E from which a Gum 24 Inches diam. bears N 70 E 26 lks—
to Beech 24 Inches diam. bears S 73 W 32 lks—North 2nd Mile Town 4 N. R. 687 E—

20.00 Brook 3 lks wide course S. W. } Good rich land. Timber.

37.25 W. Oak 12 Inches diam. } Beech, ash. Oak Y.

40.00 Set Quarter Sec. Post from which a Gum 24 Inches diam. bears S 82 W 25 lks. Beech 15 Inches diam. bears N 49 E 37 lks—

51.00 Brook 4 lks wide course W. } Good rich land. Timber

79.20 Poplar 45 Inches diam. } Beech, Poplar, Ash Y.

80.00 Gum 36 Inches diam. corner to Sect: 24125 T. 4 N. R. 6 E from which a Hickory 15 Inches diam. bears S 45 E 20 lks—
to Beech 16 Inches diam. bears N 15 E 48 lks—North 3rd Mile Town 4 N. R. 687 E

15.00 Brook 3 lks wide course W. } Level; Beech land

28.00 Beech 14 Inches diam. }

40.00 Set Quarter Sec. Post from which a Beech 12 Inches diam bears N 12 W 17 lks. ditto 12 Inches diam. bears S 80 E 27 lks

45.00 Brook 3 lks wide course W. } Port Beech Y

60.00 W. Oak 36 Inches diam.

61.00 entered Swamp } Part Swamp land

80.00 Set Post in Swamp corner to 13124 from which a Gum 8 Inches diam. bears S 61 E 19 lks. Maple 10 Inches diam. bears S 66 W 13 lks—

North 4th Mile Town 4 N. R. 687 E.

39.00 Poplar 36 Inches diam. } Maple Swamp

40.00 Set Quarter Sec. Post from which a Beech 12 Inches diam. bears N 25 W 17 lks. to Elm 14 Inches diam. bears S 63 E 11 lks—

72.00 Beech 100 lks running N. W. } This line passes over pretty good bottom. but to pieces with huts.

80.00 Set Post corner to Sect: 12113 from which a Beech 12 Inches diam. bears N 78 W 23 lks— Augt 22nd 1886.North 5th Mile Town 4 N. R. 687 E—

11.50 Brook 10 lks wide course W. } Wet bottom land, but

28.50 Poplar 16 Inches diam. } to pieces with huts.

40.00 Set Quarter Sec. Post from which a Gum 12 Inches diam. bears S 80 E 6 lks. W. Oak 18 Inches diam. bears N 60 W 14 lks

58.00 S. Side of a Pond

64.00 N. Side ditto — 3.00 lks wide } Wet bottom land

69.50 Main branch of White river course S. W. } Timber Beech, Elm.

80.00 Set Post corner to Sect: 17112 from which a Beech 14 Inches diam. bears N 43 E 17 lks. ditto 12 Inches diam. bears S 30 W 15 lks—

North 6th Mile Town 4 N. R. 687 E.

10.00 Brook 3 lks wide course E. } Level rich Beech Y

32.00 W. Oak 36 Inches diam. } Poplar land—

40.00 Set Quarter Sec. Post from which a Beech 20 Inches diam. bears S 75 E 14 lks. ditto 18 Inches diam. bears S 74 W 15 lks—

43.00 Brook 3 lks wide course E.

44.40 Poplar 50 Inches diam.

54.75 Same

80.00 Set a post for the corner of Town. 415 in Range 687 from which a Beech 16 Inches diam. bears S 18 W 15 lks—

to Beech 14 Inches diam. bears N 15 E 48 lks—

Township, N^o 3 North Range, N^o 6 East of the Meridian.

On Tuesday the 28th day of Oct. I began to survey this Township.

North Sections 35 & 36.

35.00 Bottom to the mile post.

40.00 $\frac{1}{2}$ mile post - Beech 13. S^o 53 W. 23 - Beech 13. S^o 11 E. 33 links.

41.80 Branch 8 N. 20 W.

43.16 W. Oak 18.

47.25 Branch 12 N^o 20 E.

50.00 Mile post - Beech 13 S^o 55 W. 16 Beech 12 N^o 54 W. 8 - Good land -

Beech, Poplar & Oak.

East. Sections 25 & 36 Random.

10.00 Branch 10 S^o 26 W.

40.00 Turn post.

82.00 Intersected 65 N.

West. True line blazed.

41.00 $\frac{1}{2}$ mile post - Beech 10 N^o 62 W. 12. - Beech 8 East 12 links - Level beech.

& Poplar some Oak.

North Sections 34 & 35.

26.00 Poplar 16.

40.00 $\frac{1}{2}$ mile post - W. Oak 20 S^o 52 W. 24. - W. Oak 18 S^o 13 W. 24.

48.00 Hickory 12.

50.00 Mile post - W. Oak 14 S^o 44 W. 18 - Hickory 10 S^o 35 E 18 links - Low

Ridges - Good place land - Oak, Hickory, Beech & Poplar.

East. Sections 26 & 35 Random.

40.00 Turn post.

46.00 Branch 75 N^o 30 W.

50.92 Intersected 33 N.

Township, N^o 3 North Range, N^o 6 East of the Meridian Continued.

West. True line blazed.

40.38 $\frac{1}{2}$ mile post - Beech 12 S^o 5 E 11 - Beech 8 N^o 62 W. 23 - Level good land

generally Beech.

North Sections 25 & 26.

13.00 Branch 6 W.

32.12 Beech 24.

35.50 Branch 10 W.

40.00 $\frac{1}{2}$ mile post Beech 13 S^o 13 E 24 - Dogwood 8 N^o 73 W 8 links.

62.12 Beech 24.

70.00 Branch 3 W.

80.00 Mile post Beech 10 S^o 18 E 17 Beech 10 S^o 30 W. 13 - Level generally Beech

some Poplar & Oak.

North Sections 33 & 34.

1.59 W. Oak 16.

40.00 $\frac{1}{2}$ mile post - Beech 10 N^o 18 E 7 - W. Oak 18 S^o 3 E 19.

55.00 W. Oak 18.

80.00 Mile post - Hickory 12 N^o 52 E 15 - Poplar 14 S^o 29 E 16 links -

Low Ridges - Good place land - Oak, Beech & Poplar.

East. Sections 27 & 34 Random.

0.78 Branch 3 North.

40.00 Turn post.

46.00 Branch 15 N^o 25 E.

72.00 Branch 8 North.

80.78 Intersected 120 N.

West. True line blazed.

40.39 $\frac{1}{2}$ mile post W. Oak 8 S^o 60 W 11 - Maple 10 N^o 72:30 E 38 links - Low

Ridges - Oak, Hickory & Beech } Wednesday Oct^r 29th - 1806.

Township N. 3 North Range N. 6 East of the Meridian continued.

North Sections 26 & 27.

14.00 Branch 12 N 40 E.

17.90 W. Oak 16.

38.00 Branch 10 N 45 E.

40.00 $\frac{1}{2}$ mile post Sugar tree 21. S 45 W 30 - Beech 8 N 25 links.

50.00 Branch 12 N 20 E

78.00 Edge of Swamp.

10.00 Mile post - Elm 22. S 45 W 32 - Maple 10. S 37 E 36 links - Low Oak,
Beech & Poplar - some Maple

North Sections 32 & 33.

14.50 Branch 10 N 60 E.

30.00 Branch 12 N 40 E.

40.00 $\frac{1}{2}$ mile post - Oak 12. S 56 W 12 - W. Oak 12. S 72 E 29.

45.73 W. Oak 16.

20.00 Mile post - W. Oak 14. N 11 W 4 - Oak 10. S 62 E 17 links - Low ridges
good yellow land Oak, Ash & Poplar.

East. Sections 28 & 33 Random.

17.50 Branch 12 N 40 E.

40.00 $\frac{1}{2}$ mile from post.

62.50 Branch 10 N 50 E.

65.50 Branch 12 N 40 E.

21.00 30 N of post.

West. True line blurred.

40.50 True post - W. Oak 12 N 73 E 24 - W. Oak 12. S 50 W 24 - Low ridges
good yellow land - Oak, Beech & Poplar.

North Sections 27 & 28.

30.00 Poplar 30.

Township N. 3 North Range N. 6 East of the Meridian continued.

40.00 $\frac{1}{2}$ mile post - Hickory 8 N 86 W 7 - Hickory 7. S 35 E 13 links.

30.00 Mile post - Hickory 13. S 36 W 14 - Hickory 10. S 33 E 18 links - Low
ridges - good yellow land - Oak, Beech & Poplar.

North Sections 31 & 32.

30.38 W. Oak 22.

40.00 $\frac{1}{2}$ mile post - W. Oak 14. S 51 E 13 - C. Oak 15. N 26 W 7

54.75 Branch 6 N 40 E.

70.69 W. Oak 22.

80.00 Mile post - W. Oak 16. S 15 E 14 - B. Gum 22. N 67 E 18. - Very thin land
Oak timber - some brush & green briars.

West. Sections 30 & 31.

11.00 W. Oak 20.

40.00 $\frac{1}{2}$ mile post W. Oak 30. S 18 E 10 - B. Oak 7. N 9 W 25.

63.78 W. Oak 24.

70.00 Intersected 37 N & set a post - W. Oak 27. N 56 E 13 - Hickory 5. S 36 E
14 links - Low ridges Oak & Hickory.

East. Sections 29 & 32 Random.

40.00 True post.

67.00 Branch 25 N.

80.00 Hit the post.

West. On true line blurred.

40.00 $\frac{1}{2}$ mile post Beech 10. S 20 E 37 - Beech 8. S 25 W 35 - Low ridges - Oak
Beech & Poplar.

North Sections 28 & 29.

9.50 Poplar 14.

40.00 $\frac{1}{2}$ mile post W. Oak 15. N 39 E 16 - Gum 12. S 46 W 10 links.

45.00 20.00 Through fallen timber - Und. Brush & briars.

Township N. 3 North Range N. 6 East of the Meridian Continued

20.00 Mile post - Ash 8 N 77:30 E 26 - Poplar 14 S 33 W 13 - Level good flow
land - Oak, Beech & Poplar.

North Sections 29 & 30.

6.75 Branch 3.8 40 E.

16.50 Poplar 32.

37.00 Decid. 8 30 E.

40.00 1/2 mile post - Dogwood 6 S 33 E 15 - B. Oak 30 S 37 W 11.

50.00 Mile post - W. Oak 18 S 60 E 36 - B. Oak 21 S 40 W 27 links - Low
ridges - Good flow land - Oak, Beech, Poplar & Ash.
Thursday Oct. 30th 1806.

West. Sections 19 & 30.

26.38 W. Oak 36.

40.00 1/2 mile post - Poplar 28 S 57 W 36 - Hickory 23 S 53 E 22 links.

52.00 Branch 8.8:

70.38 B. Oak 24.

72.00 Intersected 2:07 S - W. Oak 16 S 36 E 11 - W. Oak 18 S 50 E 36 links
Low ridges - Oak, Poplar & Beech.

East. Sections 20 & 29 Random.

17.50 Branch 8.8.

31.50 Branch 10.8.

40.00 Sem. post.

43.50 Branch 6.8.

57.50 Branch 30.8

20.00 1/2 mile post.

West. True line.

40.00 1/2 mile post - Beech 7 S 67:30 W 9 - Beech 8 S 26.30 E 14 - Low ridges Beech
Poplar Oak & Ash.

Township N. 3 North Range N. 6 East of the Meridian Continued.

East. Sections 21 & 22 Random.

10.00 20:00 Through fallen timber.

31.00 Branch 10 S 40 E.

40.00 Sem. post.

51.00 Branch 6 S 30 E.

72.00 Branch 43 South.

79.50 70 North of post.

West. True line Blazed.

39.75 1/2 mile post - Gum 12 S 23 E 21 - Beech 11 S 16 E 10 links - Level Oak
Beech & Poplar & Ash.

East. Sections 22 & 27 Random.

40.00 1st Sem. post.

80.25 50 S of post - in the edge of Swamp

West. On true line Blazed.

40.00 1/2 mile post - W. Oak 14 S 32 E 27 - W. Oak 8 S 59 E 23 links - Level
Oak & Beech

Saturday November 1st 1806

West. Sections 23 & 26.

37.50 Branch 73 S 20 E.

40.44 1/2 mile post - Beech 13 S 32 E 7 - Beech 8 S 18 W 12.

59.50 Branch 75 S 70 W.

62.50 Same S 40 W.

65.00 Swamp & Briars to the post - Level good flow land to the swamp - general
by Beech - Some Oak & Poplar & Ash

East. Sections 24 & 25 Random.

40.00 Sem. post.

Township N^o 3 North Range N^o 6 East of the Meridian Continued.

41.75 Branch 8 & 8

21.62 Intersected 2:00 S.

West. True line Blazed.

40.21 $\frac{1}{2}$ mile post - Beech 10 S 41 E 36 - Beech 16 S 52 E 17 links - Level Oak

& Beech - Good yellow land.

North Sections 23 & 24.

23.16 Poplar 14.

40.00 $\frac{1}{2}$ mile post - Cotton Wood 7 S 43 E 7 - Beech 12 S 34 W 26 links.

12.00 Branch 4 S 60 E.

62.28 Beech 16.

20.00 mile post - Poplar 10 S 50 E 12 - Poplar 10 S 47 W 24 links - Level Oak.

Beech & Poplar - Good yellow land.

North Sections 22 & 23.

12.00 Through Swamp.

40.00 $\frac{1}{2}$ mile post - Maple 12 S 52 E 5 - Maple 10 S 9 W 19 links

57.58 Gum 24.

20.00 mile post - Beech 22 S 82 W 27 - Gum 16 S 66 E 11 links - Bottom Oak.

Gum, Beech, Poplar & Maple - Low & meadow land.

North Sections 21 & 22.

40.00 $\frac{1}{2}$ mile post - Gum 10 S 7 E 26 - Gum 7 S 10 W 26.

20.00 mile post - H. Oak 18 S 34 W 23 - Beech 7 S 26 E 12 - Level Oak, Beech

& Poplar - Some Gum - Good yellow land - Fine for wheat.

North Sections 20 & 21.

20.75 H. Oak 12.

40.00 $\frac{1}{2}$ mile post - H. Oak 22 S 57 E 13 - Hickory 10 S 24 W 19 links.

67.00 H. Oak 18.

Township N^o 3 North Range N^o 6 East of the Meridian Continued.

20.00 mile post - $\frac{1}{4}$ Oak 20 S 42 W 22 - Oak 12 S 21 E 25 - Level Oak, Beech, Ash
and Poplar.

North Sections 19 & 20.

40.00 $\frac{1}{2}$ mile post - H. Oak 20 S 62 E 11 - Beech 8 S 62 W 23.

47.75 H. Oak 30.

37.12 Branch 8 S 30 E.

20.00 mile post - Beech 8 S 30 E 14 - Oak 10 S 23:30 W 37 links. Low ridges
Oak, Beech & Poplar - Good yellow land for wheat or corn.

Sunday November 2nd 1806

West. Sections 18 & 19.

17.00 B. Oak 31.

40.00 $\frac{1}{2}$ mile post - On a Beech 16 H. Oak 32 S 24 W 39

70.50 Branch 25 S.

70.75 Intersected 3:79 A Beech 10 S 63 E 40 - Beech 18 S 40 E 50 links. - Low
ridges - Beech, Oak, Poplar & Ash.

East. Sections 17 & 20 Random.

4.50 Branch 6 S.

9.50 Branch 7 S.

40.00 True post.

68.50 Branch 25 S.

80.75 50 North.

West. True line Blazed.

40.37 $\frac{1}{2}$ mile post - Beech 10 S 33 E 4 - Hickory 16 S 42 E 11 links. - Level good
land - Oak, Beech, Hickory & Poplar.

East. Sections 16 & 21 Random.

27.50 Branch 45 S.

40.00 $\frac{1}{2}$ True post.

Township N^o 3 North Range N^o 6 East of the Meridian Continued

20.00	Hit the post.
West.	True line Blazed.
40.00	$\frac{1}{2}$ Mile post in the trading path. Sugar tree 20 S 12 W 28 - Beech 24 S 2 W 28 links - Level Oak, Beech, Ash, Poplar.
East.	Sections 13 & 22 Random.
23.00	Branch 10 N 30 E.
40.00	Turn post.
81.50	Intersected 2:00 N.
West.	True line Blazed
40.75	$\frac{1}{2}$ Mile post - Hickory 12 S 63 E 12 - Poplar 16 S 23 W 11 links - Level post brushy - Oak, Beech, Poplar & Hickory.
East.	Sections 14 & 23 Random.
7.00	Branch 7 S N 30 E.
15.00	Same S 70 E.
19.50	Same South.
10.00	Turn post.
20.00	30 N of post.
West.	True line Blazed.
40.25	$\frac{1}{2}$ Mile post - Elm 30 N 31 E 5 - Beech 12 S 24 W 7 links - Level post Bottom Oak, Poplar, Gum & Beech.
East.	Sections 13 & 24 Random.
14.12	Branch 3 N 40 E.
24.00	Branch 10 N 45 E.
40.00	Turn post.
81.50	Intersected 2:00 N
West	True line Blazed.

Township N^o 3 North Range N^o 6 East of the Meridian Continued.

40.75	$\frac{1}{2}$ Mile post - Poplar 12 S 78 E 32 - Poplar 13 N 71 W 13 links - Level Brush & Briars - Beech & Oak & Poplar.
North	Sections 13 & 14.
5.95	Beech 18.
40.00	$\frac{1}{2}$ Mile post W. Oak 33 N 42 E 40 - Hickory 10 N 81 W 36 links.
75.00	Branch 6 E.
80.00	Mile post - W. Oak 23 S 30 E 25 - Beech 16 S 78 W 21 links - Level - Beech, Oak, Hickory & Poplar.
North	Sections 14 & 15.
6.08	Beech 22.
40.00	$\frac{1}{2}$ Mile post - W. Oak 30 S 42 W 10. - Beech 8 N 29 E 26 links.
49.00	Beech 20.
80.00	Mile post in fallen timber - Gum 20 S 32 E 12 - Beech 14 S 66 E 67 links - Level - Beech, Oak & Poplar.
North	Sections 15 & 16.
4.14	Beech 20.
40.00	$\frac{1}{2}$ Mile post - W. Oak 18 S 57 W 7 - Ash 7 N 61 E 9 links.
13.00	B. Oak 22.
35.25	Branch 6 E.
80.00	Mile post - W. Oak 20 S 63 W 35 - W. Oak 20 N 66 E 48 links - Level Oak, Poplar & Beech.
Monday November 3 rd 1866.	
North	Sections 16 & 17.
13.50	B. Oak 22.
39.50	Branch 30 S 40 W.
40.00	$\frac{1}{2}$ Mile post Beech 18 S 12 W 11 - Beech 7 S 70 E 22.

Township 12.3. North Range N. 6 East of the Meridian Continued

68.00	Beech 22.
80.00	1/2 mile post - Hickory 11. N 66 E 11 - W Oak 20 N 85 W 29 - Level post Bottom - Beech, Hickory, Oak & Poplar - good yellow land.
North	Sections 17 & 18.
9.62	Branch 6 E.
15.20	W. Oak 16.
38.50	Branch 6 N 50 E.
40.00	1/2 mile post - Gum 12 N 71.30 E 19 - Beech 33 N 8 W 53 links.
49.00	Branch 12 N 20 E.
80.00	1/2 mile post - Maple 12 N 50 W 29 - Hickory 8 S 27 E 11 - Level good yellow land - Beech, Poplar & Oak & Hickory.
West	Sections 7 & 18.
24.50	Branch 13 N.
40.00	1/2 mile post in a Dream runs N - A Gum 12 N 7 W 19 - Beech 6 N 81 W 20 links
72.00	Intersected 3:24 N of post - Hickory 12 S 47 E 9 - Hickory 13 N 84 E 27 links - Level good land - Beech, Oak, Hickory & Poplar some Drywood.
East	Sections 8 & 17 Random.
38.00	Branch 20 N 30 W.
40.00	Sum. post.
43.50	Branch 50 N.
53.10	Branch 30 N 50 W.
57.40	Branch 20 N.
80.00	Hit the post.
West	True line Blazed.
40.00	1/2 mile post - W. Oak 21 S 33 W 22 - Beech 14 N 42 E 23 links Level Beech, Poplar, Oak, Maple & Gum.

Township 12.3. North Range N. 6 East of the Meridian Continued.

East	Sections 9 & 16 Random.
23.00	Branch 8 N.
38.50	Branch 6 N.
40.00	Sum. post.
60.62	Branch 6 N 40 E
80.00	Hit the post.
West	True line Blazed.
40.00	1/2 mile post - W. Oak 30 N 17 E 4 - Beech 10 S 11 W 27 - Level good yellow land - Oak, Beech, Hickory & Poplar.
East	Sections 10 & 15 Random.
16.00	Branch 12 N 40 E.
40.00	Sum. post.
49.50	Branch 12 N.
80.00	65 N of post.
West	True line Blazed.
40.00	1/2 mile post - W. Oak 10 S 63 E 10 - Hickory 8 N 17 W 19 links - Level Oak, Beech, Hickory & Poplar.
East	Sections 11 & 14 Random.
27.20	Branch 75 N.
40.00	Sum. post.
80.00	Intersected 2:50 N of post.
West	True line.
40.00	1/2 mile post - W. Oak 10 S 67 W 16 - W Oak 12 N 72 E 45 links - Level post wet - Beech, Oak, Hickory & Poplar.
East	Sections 12 & 13 Random.
40.00	1/2 mile post.